



CHEF CHRIS PANDEL,  
THE BRISTOL

KSM8990

# KITCHENAID® COMMERCIAL 8-QUART BOWL LIFT STAND MIXER

## POWER THROUGH YOUR DAY.

- NSF-certified, high-efficiency 1.3HP motor\*
- Powerful enough to handle 8+ pounds of dough; quiet enough to sit on your counter
- PowerCore® technology delivers consistent power while reducing heat buildup for long-lasting performance
- Speed control protection
- Commercial bowl-lift design
- Robust metal control knobs
- All-metal gears and housings

## COMMERCIAL-GRADE ACCESSORIES COME STANDARD.



KSM8990DP



\* Motor horsepower for our mixer motors was measured using a dynamometer, a machine laboratories routinely use to measure the mechanical power of motors. Our 1.3-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the mixer's horsepower output to the mixer bowl.





**KitchenAid**  
COMMERCIAL

# KITCHENAID® COMMERCIAL 8-QUART BOWL LIFT STAND MIXER

## POWER. VERSATILITY. PERFORMANCE.

- NSF CERTIFIED FOR COMMERCIAL USE.
- OUR MOST POWERFUL, QUIETEST AVAILABLE 1.3HP high-efficiency DC motor\* is designed to run longer and delivers optimum torque with less heat buildup. Easily handles recipes requiring longer mixing, kneading and whipping times. The all-metal, precise gear design produces a smooth, quiet sound.
- LARGE CAPACITY easily mixes recipes with up to 16 cups of flour, 13 dozen cookies or kneads dough for 8¼ loaves of bread in a single bowl.
- POWERCORE® TECHNOLOGY feedback control communicates in micro seconds to the motor to ensure optimal power is delivered to the bowl.
- SPEED CONTROL PROTECTION reduces the risk of accidentally turning on the mixer when wiping it clean.

## AVAILABLE COLORS

MODEL	COLOR	UPC
KSM8990DP	Dark Pewter 	883049 33288 8
KSM8990ER	Empire Red 	883049 33286 4
KSM8990OB	Onyx Black 	883049 33287 1
KSM8990WH	White 	883049 33285 7

## ACCESSORIES

MODEL	ITEM	UPC
KSMC8QBOWL	8-Qt Bowl	883049 28824 6
KSMC7QBOWL	7-Qt Bowl	883049 25462 3
KSMC5QBOWL	5-Qt Bowl	883049 28825 3
KSMC7QDH	SS Dough Hook	883049 25445 6
KSMC7QEW	SS Elliptical Whisk	883049 25444 9
KSMC7QFB	SS Flat Beater	883049 24418 1

## FEATURES

MSRP <sup>1</sup>	8-Qt Commercial, \$899.99
MOTOR	500 Watts 1.3HP High-Efficiency DC Motor* 120 V, 60 Hz Converted to 15,000x per Second
NSF COMMERCIAL CERTIFIED	Yes
CAPACITY	8-Qt/7.6L
KNOB STYLE	Heavy-Duty Metal
ATTACHMENT HUB	Fits All KitchenAid Attachments
CONTROL PANEL	High-Performance Control ASF – Advanced Sensory Feedback (15,000x per second)
BOWL	Brushed Stainless Steel with Commercial “J” Style Handle
BEATER	Dishwasher Safe – Stainless Steel
DOUGH HOOK	Dishwasher Safe – Stainless Steel Spiral
WHIP	Dishwasher Safe – Stainless Steel 11-Wire Elliptical

<sup>1</sup> Manufacturer's Suggested Retail Price is provided for reference purposes only. Dealer alone determines advertised, selling and promotional prices.

## SPECIFICATIONS AND DIMENSIONS

Dimensions in inches (centimeters)  
Weight in pounds (kilograms)

KSMC895	PRODUCT	PRODUCT CARTON	MASTER PACK
Height	16.5 (41.9)	19.4 (49.3)	19.4 (50.8)
Width	13.3 (33.8)	13.3 (33.8)	13.3 (33.8)
Depth	14.6 (37.1)	17.3 (45.9)	17.3 (45.9)
Cord Length	48.0 (121.9)	—	—
Net Weight	25.0 (11.3)	—	—
Shipping Weight	—	30.0 (13.6)	30.0 (13.6)
Master Pack Quantity	—	—	1 Unit
8 Master Packs per Layer x 4 Layers per Skid = 32 Units per Skid			

Specifications subject to change without notice.

[KitchenAidCommercial.com](http://KitchenAidCommercial.com)

2-YEAR REPLACEMENT LIMITED COMMERCIAL WARRANTY  
Visit [kitchenaidcommercial.com](http://kitchenaidcommercial.com) for complete warranty details.



\* Motor horsepower for our mixer motors was measured using a dynamometer, a machine laboratories routinely use to measure the mechanical power of motors. Our 1.3-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the mixer's horsepower output to the mixer bowl.

©/™ ©2014 KitchenAid. All rights reserved. KP140172  
The design of the stand mixer is a trademark in the U.S. and elsewhere.

**KitchenAid**  
COMMERCIAL

CHEF SÉBASTIEN CANONNE,  
THE FRENCH PASTRY SCHOOL



KSMC895

# KITCHENAID® COMMERCIAL 8-QUART BOWL LIFT STAND MIXER WITH BOWL GUARD

## POWER THROUGH YOUR DAY.

- NSF-certified, high-efficiency 1.3HP motor\*
- Powerful enough to handle 8+ pounds of dough; quiet enough to sit on your counter
- PowerCore® technology delivers consistent power while reducing heat buildup for long-lasting performance
- Speed control protection
- Commercial bowl-lift design
- Stainless steel bowl guard for added safety
- Robust metal control knobs
- All-metal gears and housings

## COMMERCIAL-GRADE ACCESSORIES COME STANDARD.



KSMC895WH



\* Motor horsepower for our mixer motors was measured using a dynamometer, a machine laboratories routinely use to measure the mechanical power of motors. Our 1.3-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the mixer's horsepower output to the mixer bowl.

**KitchenAid**  
COMMERCIAL







# KITCHENAID® COMMERCIAL 8-QUART BOWL LIFT STAND MIXER WITH BOWL GUARD

## POWER. VERSATILITY. PERFORMANCE.

- NSF CERTIFIED FOR COMMERCIAL USE.
- OUR MOST POWERFUL, QUIETEST AVAILABLE 1.3HP high-efficiency DC motor\* is designed to run longer and delivers optimum torque with less heat buildup. Easily handles recipes requiring longer mixing, kneading and whipping times. The all-metal, precise gear design produces a smooth, quiet sound.
- LARGE CAPACITY easily mixes recipes with up to 16 cups of flour, 13 dozen cookies or kneads dough for 8¼ loaves of bread in a single bowl.
- POWERCORE® TECHNOLOGY feedback control communicates in micro seconds to the motor to ensure optimal power is delivered to the bowl.
- SPEED CONTROL PROTECTION reduces the risk of accidentally turning on the mixer when wiping it clean.
- STAINLESS STEEL BOWL GUARD provides added safety, to keep things from entering the mix area during operation.

## AVAILABLE COLORS

MODEL	COLOR	UPC
KSMC895DP	Dark Pewter 	883049 33288 8
KSMC895ER	Empire Red 	883049 33286 4
KSMC895OB	Onyx Black 	883049 33287 1
KSMC895WH	White 	883049 33285 7

## ACCESSORIES

MODEL	ITEM	UPC
KSMC8QBOWL	8-Qt Bowl	883049 28824 6
KSMC7QDH	SS Dough Hook	883049 25445 6
KSMC7QEW	SS Elliptical Whisk	883049 25444 9
KSMC7QFB	SS Flat Beater	883049 24418 1

## FEATURES

MSRP <sup>1</sup>	8-Qt Commercial with Bowl Guard, \$999.99
MOTOR	500 Watts 1.3HP High-Efficiency DC Motor* 120 V, 60 Hz Converted to 15,000x per Second
NSF COMMERCIAL CERTIFIED	Yes
CAPACITY	8-Qt/7.6L
KNOB STYLE	Heavy-Duty Metal
ATTACHMENT HUB	Fits All KitchenAid Attachments
CONTROL PANEL	High-Performance Control ASF – Advanced Sensory Feedback (15,000x per second)
BOWL	Brushed Stainless Steel with Commercial “J” Style Handle
BEATER	Dishwasher Safe – Stainless Steel
DOUGH HOOK	Dishwasher Safe – Stainless Steel Spiral
WHIP	Dishwasher Safe – Stainless Steel 11-Wire Elliptical

<sup>1</sup> Manufacturer's Suggested Retail Price is provided for reference purposes only. Dealer alone determines advertised, selling and promotional prices.

## SPECIFICATIONS AND DIMENSIONS

Dimensions in inches (centimeters)  
Weight in pounds (kilograms)

KSMC895	PRODUCT	PRODUCT CARTON	MASTER PACK
Height	16.5 (41.9)	19.4 (49.3)	19.4 (50.8)
Width	13.3 (33.8)	13.3 (33.8)	13.3 (33.8)
Depth	14.6 (37.1)	17.3 (45.9)	17.3 (45.9)
Cord Length	48.0 (121.9)	—	—
Net Weight	25.0 (11.3)	—	—
Shipping Weight	—	30.0 (13.6)	30.0 (13.6)
Master Pack Quantity	—	—	1 Unit
8 Master Packs per Layer x 4 Layers per Skid = 32 Units per Skid			

Specifications subject to change without notice.

[KitchenAidCommercial.com](http://KitchenAidCommercial.com)

2-YEAR REPLACEMENT LIMITED COMMERCIAL WARRANTY  
Visit [kitchenaidcommercial.com](http://kitchenaidcommercial.com) for complete warranty details.



**KitchenAid**  
COMMERCIAL

\* Motor horsepower for our mixer motors was measured using a dynamometer, a machine laboratories routinely use to measure the mechanical power of motors. Our 1.3-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the mixer's horsepower output to the mixer bowl.

©/™ ©2014 KitchenAid. All rights reserved. KP140172  
The design of the stand mixer is a trademark in the U.S. and elsewhere.

# KitchenAid® COMMERCIAL

2000 North M-63, Benton Harbor, MI 49022  
855-845-9684 web: [www.kitchenaidcommercial.com](http://www.kitchenaidcommercial.com)  
email: [commercial@kitchenaid.com](mailto:commercial@kitchenaid.com)

Project \_\_\_\_\_  
Name \_\_\_\_\_  
Item # \_\_\_\_\_  
Quantity \_\_\_\_\_  
Available at \_\_\_\_\_  
Approval \_\_\_\_\_

## Commercial KHBC300 Series IMMERSION BLENDER

### NSF CERTIFIED FOR COMMERCIAL USE

- DC MOTOR is quiet yet powerful enough to handle difficult blending with ease, including dough
- 2 SPEEDS (11,000 and 18,000 RPM) for added versatility
- REMOVABLE BLENDING ARMS available in 8", 10" and 12" lengths
- DISHWASHER SAFE blending arms
- S-SHAPED BLADE for high performance general mixing and blending
- VERSATILE, one-handed operation
- WALL MOUNT included for easy storage

MOTOR	350 Watts DC Motor
NSF COMMERCIAL CERTIFIED	Yes
MAX BLEND VOLUME	KHBC308OB - 3 gallons / 11.4 liters KHBC310OB - 6 gallons / 22.7 liters KHBC312OB - 9 gallons / 38.0 liters
BLEND SPEEDS	Speed 1: 11,000 RPM Speed 2: 18,000 RPM
BLENDING ARM	Stainless steel Removable Dishwasher-safe
BLADE DESIGN	Multi-purpose "S"-blade, fixed bell
HANDLING	Soft-grip handle for one-handed operation
SAFETY	Primary power switch
WALL MOUNT	Included
WARRANTY	2-Year Hassle Free



KHBC312OB



# Commercial KHBC300 Series IMMERSION BLENDER

Wall Mount, Hand Blender, & Blending Arm Included

Sold Separately



KHBC312OB



KHBC10WER



KHBC12MER, KHBC10MER, KHBC08MER

## MODELS

MODEL #	IMMERSION BLENDERS	UPC
KHBC308OB	8" Immersion Blender	883049 43480 3
KHBC310OB	10" Immersion Blender	883049 43590 9
KHBC312OB	12" Immersion Blender	883049 43595 4
MODEL #	ACCESSORIES	UPC
KHBC10WER	10" Whisk Attachment	883049 35037 0
KHBC08MER	8" Blending Arm Only	883049 35033 2
KHBC10MER	10" Blending Arm Only	883049 35066 0
KHBC12MER	12" Blending Arm Only	883049 35032 5

## PACKAGING DIMENSIONS

INDIVIDUAL UNIT

Model	Gross Weight without Packaging		Depth with Packaging		Width with Packaging		Height with Packaging		Gross Weight with Packaging		Qty
KHBC308OB	3.3 lbs	1.5 kgs	5.6 in	14.2 cm	11.5 in	29.2 cm	15.1 in	38.4 cm	5.0 lbs	2.3 kgs	1
KHBC310OB	3.3 lbs	1.5 kgs	5.6 in	14.2 cm	11.5 in	29.2 cm	15.1 in	38.4 cm	5.0 lbs	2.3 kgs	1
KHBC312OB	3.3 lbs	1.5 kgs	5.6 in	14.2 cm	11.5 in	29.2 cm	15.1 in	38.4 cm	5.0 lbs	2.3 kgs	1
Accessories	Gross Weight without Packaging		Depth with Packaging		Width with Packaging		Height with Packaging		Gross Weight with Packaging		Qty
KHBC10WER	1.8 lbs	.8 kgs	4.3 in	10.8 cm	4.3 in	10.8 cm	15.3 in	36.8 cm	1.8 lbs	.8 kgs	1
KHBC08MER	.5 lbs	.2 kgs	3.6 in	9.1 cm	3.6 in	9.1 cm	12.4 in	31.5 cm	.5 lbs	.2 kgs	1
KHBC10MER	.5 lbs	.2 kgs	3.6 in	9.1 cm	3.6 in	9.1 cm	12.4 in	31.5 cm	.5 lbs	.2 kgs	1
KHBC12MER	.5 lbs	.2 kgs	3.6 in	9.1 cm	3.6 in	9.1 cm	12.4 in	31.5 cm	.5 lbs	.2 kgs	1

MASTER PACK

Model	Depth with Packaging		Width with Packaging		Height with Packaging		Gross Weight with Packaging		Qty
KHBC308OB	11.0 in	27.9 cm	11.5 in	27.9 cm	15.5 in	38.4 cm	10.0 lbs	4.6 kgs	2
KHBC310OB	11.0 in	27.9 cm	11.5 in	27.9 cm	15.5 in	38.4 cm	10.0 lbs	4.6 kgs	2
KHBC312OB	11.0 in	27.9 cm	11.5 in	27.9 cm	15.5 in	38.4 cm	10.0 lbs	4.6 kgsZ	2
Accessories	Depth with Packaging		Width with Packaging		Height with Packaging		Gross Weight with Packaging		Qty
KHBC10WER	8.8 in	22.2 cm	8.8 in	22.2 cm	15.8 in	40 cm	8 lbs	3.6 kgs	4
KHBC08MER	7.3 in	18.4 cm	7.3 in	18.4 cm	15 in	38.1 cm	2.1 lbs	1 kgs	4
KHBC10MER	7.3 in	18.4 cm	7.3 in	18.4 cm	15 in	38.1 cm	2.1 lbs	1 kgs	4
KHBC12MER	7.3 in	18.4 cm	7.3 in	18.4 cm	15 in	38.1 cm	2.1 lbs	1 kgs	4

[KitchenAidCommercial.com](http://KitchenAidCommercial.com)

2-YEAR REPLACEMENT LIMITED COMMERCIAL WARRANTY  
Visit [kitchenaidcommercial.com](http://kitchenaidcommercial.com) for complete warranty details.



**KitchenAid**<sup>®</sup>  
COMMERCIAL

2000 North M-63, Benton Harbor, MI 49022 PH: 855-845-9684  
[www.kitchenaidcommercial.com](http://www.kitchenaidcommercial.com) email: [commercial@kitchenaid.com](mailto:commercial@kitchenaid.com)

# KitchenAid

COMMERCIAL

2000 North M-63, Benton Harbor, MI 49022  
 855-845-9684 web: [www.kitchenaidcommercial.com](http://www.kitchenaidcommercial.com)  
 email: [commercial@kitchenaid.com](mailto:commercial@kitchenaid.com)

Project \_\_\_\_\_  
 Name \_\_\_\_\_  
 Item # \_\_\_\_\_  
 Quantity \_\_\_\_\_  
 Available at \_\_\_\_\_  
 Approval \_\_\_\_\_

KitchenAid  
COMMERCIAL

## Commercial KHBC400 Series IMMERSION BLENDER

### NSF CERTIFIED FOR COMMERCIAL USE

- VARIABLE SPEED 1HP MOTOR\* change speeds while in use to handle a variety of blending projects
- 18,000 RPM TOP SPEED great for purees, whipping cream and emulsifying
- 9,000 RPM LOW SPEED to stir and blend smoothly
- STAINLESS STEEL REMOVABLE BLENDING ARM is dishwasher-safe and available in 12", 14", 16", 18" and 20" lengths
- MULTIPURPOSE BLADE to blend, crush, chop and puree
- BOWL CLAMP INCLUDED for secure, no-hands operation
- SECOND HANDLE AND PROTECTIVE GRIP to assist blending control and leverage
- CONTINUOUS RUN while using bowl clamp allows for unassisted blending
- CARRYING CASE INCLUDED to protect investment
- 12' HIGH-VISIBILITY ORANGE CORD promotes awareness and safety
- CORD WRAP helps to manage cord length for ease of use

MOTOR	750 Watts 1HP*
NSF COMMERCIAL CERTIFIED	Yes
MAX BLEND VOLUME	12" Arm: - 10 gallons / 38.0 liters 14" Arm: - 14 gallons / 53.3 liters 16" Arm: - 18 gallons / 68.6 liters 18" Arm: - 22 gallons / 83.9 liters 20" Arm: - 26 gallons / 99.2 liters
BLEND SPEEDS	Variable Speed Speed 1: 9,000 RPM Speed 9: 18,000 RPM
BLENDING ARM	Stainless steel Removable Dishwasher-safe
BLADE DESIGN	Multi-purpose, chop - blend - puree
HANDLING	Soft-grip handle and two secondary locations for control
SAFETY	Primary power switch
WARRANTY	2-Year Commercial
SERVICEABLE	Yes



KHBC400 SERIES IMMERSION BLENDER



\*Motor horsepower for our immersion blender motors was measured using a dynamometer, a machine laboratories routinely use to measure the mechanical power of motors. Our 1.0-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the immersion blender's horsepower output to the blending vessel. The output horsepower to the blending vessel will be slightly less than 1.0HP.

# Commercial KHBC400 Series IMMERSION BLENDER



Sold Separately



Storage Case and Bowl Clamp Included.



## MODELS

MODEL #	IMMERSION BLENDERS	UPC
KHBC4140B	14" Immersion Blender	883049396149
KHBC4180B	18" Immersion Blender	883049396163
MODEL #	ACCESSORIES	UPC
KHBC110WSS	10" Whisk Attachment	883049396231
KHBC112MSS	12" Blending Arm Only	883049396187
KHBC114MSS	14" Blending Arm Only	883049396194
KHBC116MSS	16" Blending Arm Only	883049396200
KHBC118MSS	18" Blending Arm Only	883049396217
KHBC120MSS	20" Blending Arm Only	883049396224

## PACKAGING DIMENSIONS

Model	Gross Weight without Packaging		Depth with Packaging		Width with Packaging		Height with Packaging		Gross Weight with Packaging		Qty
	lbs	kgs	in	cm	in	cm	in	cm	lbs	kgs	
KHBC4140B	18.9	9	7 5/8	19.5	19 3/8	49.2	29 3/8	74.7	22.5	10.7	1
KHBC4180B	19.3	9.2	7 5/8	19.5	19 3/8	49.2	29 3/8	74.7	22.9	10.9	1
Accessories	Gross Weight without Packaging		Depth with Packaging		Width with Packaging		Height with Packaging		Gross Weight with Packaging		Qty
KHBC112MSS	1.6	.73	4 7/8	12.4	4 7/8	12.4	24	61	1.65	.8	1
KHBC114MSS	1.8	.82	4 7/8	12.4	4 7/8	12.4	24	61.8	1.85	.9	1
KHBC116MSS	2.0	.91	4 7/8	12.4	4 7/8	12.4	24	61.8	2.10	1.0	1
KHBC118MSS	2.2	1.0	4 7/8	12.4	4 7/8	12.4	24	61.8	2.25	1.1	1
KHBC120MSS	2.4	1.1	4 7/8	12.4	4 7/8	12.4	24	61.8	2.45	1.2	1
KHBC110WSS	1.53	.70	4 1/2	11.4	4 1/2	11.4	16 3/8	41.6	1.58	.75	1

Model	Depth with Packaging		Width with Packaging		Height with Packaging		Gross Weight with Packaging		Qty
	in	cm	in	cm	in	cm	lbs	kgs	
KHBC4140B	7 5/8	19.5	19 3/8	49.2	29 3/8	74.7	22.5	10.7	1
KHBC4180B	7 5/8	19.5	19 3/8	49.2	29 3/8	74.7	22.9	10.9	1
Accessories	Depth with Packaging		Width with Packaging		Height with Packaging		Gross Weight with Packaging		Qty
KHBC112MSS	9 15/16	25.2	9 15/16	25.2	24 3/8	61.0	6.6	3.1	4
KHBC114MSS	9 15/16	25.2	9 15/16	25.2	24 3/8	61.8	7.4	3.5	4
KHBC116MSS	9 15/16	25.2	9 15/16	25.2	24 3/8	61.8	8	3.8	4
KHBC118MSS	9 15/16	25.2	9 15/16	25.2	24 3/8	61.8	9	4.3	4
KHBC120MSS	9 15/16	25.2	9 15/16	25.2	24 3/8	61.8	9.3	4.4	4
KHBC110WSS	9 1/4	23.4	9 1/4	23.4	16 5/8	42.4	6.3	3	4

[KitchenAidCommercial.com](http://KitchenAidCommercial.com)

2-YEAR REPLACEMENT LIMITED COMMERCIAL WARRANTY  
Visit [kitchenaid.com](http://kitchenaid.com) for complete warranty details.



**KitchenAid**  
COMMERCIAL

©/™ ©2016 KitchenAidCommercial.com. All rights reserved. The design of the stand mixer is a trademark in the U.S. and elsewhere.

2000 North M-63, Benton Harbor, MI 49022 PH: 855-845-9684  
[www.kitchenaidcommercial.com](http://www.kitchenaidcommercial.com) email: [commercial@kitchenaid.com](mailto:commercial@kitchenaid.com)



Project \_\_\_\_\_  
 Name \_\_\_\_\_  
 Item # \_\_\_\_\_  
 Quantity \_\_\_\_\_  
 Available at \_\_\_\_\_  
 Approval \_\_\_\_\_

## KSBC1B0 & KSBC2F1 Series COMMERCIAL BLENDERS

### NSF CERTIFIED FOR COMMERCIAL USE

- **POWERFUL 3.5 PEAK HP MOTOR** – At the heart of the KitchenAid® Commercial blender is the power core – a specially calibrated 3.5 peak horsepower\* motor and controls system designed to deliver consistent power without bogging down, even with the toughest ingredients.
- **PATENTED TALON™ ASYMMETRICAL BLADE\*\*** – The patented blade blends at four different angles to pull ingredients into the blending vortex for smooth, consistent results. This design allows for blending large and tough ingredients, like whole fruits and vegetables, which saves you prep time while delivering exceptional results.
- **3-YEAR HASSLE-FREE WARRANTY FOR MOTOR BASE** – The KitchenAid® Commercial blender motor base is backed by the best-available-in-class, three-year hassle-free replacement warranty.\*\*\*
- **DIE-CAST METAL BASE, DIAL AND SWITCHES** – Dial and switches are easy to clean. These premium components also provide added durability to withstand heavy use in a commercial environment.
- **SECURE, VENTED LID WITH INGREDIENT MEASURING CAP** – The lid fits securely on the jar, minimizing spills while in use. It also features a vent for blending hot soups, and a measuring cap for adding ingredients during blending.
- **DETACHABLE POWER CORD** – The 6-foot power cord is detachable and can be easily replaced without the need for a service call.
- **EXCLUSIVE DIE-CAST CORD CLEAT FOR EASY CORD STORAGE** – The cord can now be conveniently wrapped around the cleat on the back of the unit. No more struggling with wrapping the cord under the base.
- **SILICONE STABILIZER JAR PAD** – The blender jar is held securely on the base with a silicone jar pad for added stability and sound dampening. It's removable for easy cleanup.
- **60-OZ. BPA-FREE JAR** – The 60-oz. jar is designed and engineered to further optimize the blender's performance, leveraging the powerful motor and exclusive KitchenAid blade design. The jar's beveled corners allow for clean pouring from three sides.

### KSBC1B0 BEVERAGE SERIES

- **SIMPLE CONTROLS + ICY-DRINK PROGRAM FOR QUICK OPERATION** – A perfect blender to reduce prep time and increase speed of service. Speed options are high, medium and low, or utilize our enhanced variable timer function (5-60 seconds) that includes a slow start to process thick ingredients before ramping up to high speed.
- **BLENDS A MARGARITA IN 22 SECONDS** – The KitchenAid® Commercial blender's powerful motor and blade perfectly blend a 40-ounce margarita in 22 seconds.

### KSBC2F1 CULINARY SERIES

- **SPEED CONTROL & COULIS PROGRAM FOR PRECISE BLENDING** – Variable speed range from 1000-21,000 RPM allows for precision control of blending your culinary ingredients for complete control of results.
- **PROGRAMMABLE COULIS CYCLE** – The KitchenAid® Commercial Blender's versatile control allows for taking 1000 grams of fluid gels to a satin smooth coulis in one single step.



MOTOR	1800 Watts 3.5 Peak HP High-Efficiency DC Motor* 120 V, 60 Hz 15.0 A Single Phase
-------	--



\*Motor horsepower for our commercial blender motors was measured using a dynamometer, a machine laboratories routinely use to measure the mechanical power of motors. Our 3.5-horsepower (HP) motor reference reflects the horsepower rating of the motor itself and not the commercial blender's horsepower output to the blending vessel. The output horsepower to the blending vessel will be somewhat reduced.

\*\*Patents issued and pending in the United States of America

\*\*\*Three-year hassle-free replacement warranty applies to motor base. Jar assembly is covered by a one-year hassle-free replacement warranty. See UCG for details.

# KSBC1B0 & KSBC2F1 Series **COMMERCIAL BLENDERS**



KSBC1B0CU



KSBC2F1DP



KSBC60S



KSBC56D  
(Sold Separately)



KSBC9FT

## MODELS

MODEL #	COUNTERTOP BLENDER	UPC
KSBC1B0CU	Commercial Beverage Blender - Contour Silver	883049 40971 9
KSBC1B0BM	Commercial Beverage Blender - Matte Black	883049 42162 9
KSBC2F1DP	Commercial Culinary Blender - Dark Pewter	883049 41437 9
KSBC2F1BM	Commercial Culinary Blender - Matte Black	883049 42973 1
MODEL #	ACCESSORIES	UPC
KSBC60S	60 oz Standard Jar	883049 41043 2
KSBC56D	56 oz Thermal Control Jar	883049 41044 9
KSBC9FT	Flex Edge Tamper	883049 43220 5

## PACKAGING DIMENSIONS

INDIVIDUAL UNIT  
W/O PACKAGING

Model	Gross Weight without Packaging		Depth without Packaging		Width without Packaging		Height without Packaging		Qty
	lbs	kg	in	cm	in	cm	in	cm	units
KSBC1B0BM, CU	19.68	8.93	11.4	28.96	9.04	22.96	17.75	45.08	1
KSBC2F1DP, BM	19.68	8.93	11.4	28.96	9.04	22.96	17.75	45.08	1
Accessories	Gross Weight without Packaging		Depth without Packaging		Width without Packaging		Height without Packaging		Qty
KSBC60S	2.7	1.23	5.75	14.6	5.75	14.6	10.63	27	1
KSBC56D	3.8	1.72	6.5	16.51	6.5	16.51	10.63	27	1
KSBC9FT	0.46	0.21	3	7.62	3	7.62	11.60	29.46	1

INDIVIDUAL UNIT  
W/GIFT PACKAGING

Model	Gross Weight with Packaging		Depth with Packaging		Width with Packaging		Height with Packaging		Qty
	lbs	kg	in	cm	in	cm	in	cm	units
KSBC1B0BM, CU	23.79	10.79	13.5	34.29	14.5	36.83	18.25	46.35	1
KSBC2F1DP, BM	23.79	10.79	13.5	34.29	14.5	36.83	18.25	46.35	1
Accessories	Gross Weight with Packaging		Depth with Packaging		Width with Packaging		Height with Packaging		Qty
KSBC60S	3.41	1.55	9	22.86	9	22.86	12	30.48	1
KSBC56D	4.58	2.08	9	22.86	9	22.86	12	30.48	1
KSBC9FT	0.6	0.27	3.5	8.89	3.5	8.89	12	30.48	1

MASTER PACK / OVERPACK

Model	Gross Weight with Packaging		Depth with Packaging		Width with Packaging		Height with Packaging		Qty
	lbs	kg	in	cm	in	cm	in	cm	units
KSBC1B0BM, CU	25.2	11.43	14	35.56	15	38.1	18.75	46.99	1
KSBC2F1DP, BM	25.2	11.43	14	35.56	15	38.1	18.75	46.99	1
Accessories	Gross Weight with Packaging		Depth with Packaging		Width with Packaging		Height with Packaging		Qty
KSBC60S	7.77	3.52	9.5	24.13	18.5	46.99	12.5	31.75	2
KSBC56D	10.11	4.59	9.5	24.13	18.5	46.99	12.5	31.75	2
KSBC9FT	3.02	1.37	7.5	19.05	7.5	19.05	12.5	31.75	4

[KitchenAidCommercial.com](http://KitchenAidCommercial.com)

**3-YEAR REPLACEMENT LIMITED COMMERCIAL WARRANTY**  
Visit [kitchenaidcommercial.com](http://kitchenaidcommercial.com) for complete warranty details.



**KitchenAid**<sup>®</sup>  
COMMERCIAL